

T08N-R01W-28_0000_MCS

I, Lee Ull, hereby certify that I am a Registered Land Surveyor licensed in compliance with the laws of the State of Indiana; that this plat accurately represents a survey completed by me on August 27, 1999; that all monuments shown thereon actually exist; and that their location, size and type are, to the best of my knowledge, accurately shown.


DAN VARGA
D.R. 441, PG. 351 - 352
18.66 AC

Per K-17
T.O.

Lee Ull, R. L. S. #50089, Indiana
1604 South Henderson Street
Bloomington, Indiana 47401
Phone #: (812) 332-6366
August 27, 1999

HAROLD & SUSAN BREWER
D.R. 454, PG. 18 - 19
BREWER SUBDIVISION
LOT #2

JUDSON & REBECCA BREWER
D.R. 420, PG. 558 - 559
BREWER SUBDIVISION
LOT #1



SCALE: 1" = 100'

- = SET 5/8" IRON PIN (30" IN LENGTH)
- = FOUND 5/8" IRON PIN
- ⊙ = FOUND 1/2" IRON PIN
- ▲ = FOUND 3/4" IRON PIPE

JEFFREY & PATRICIA COVIN
1113 SOUTH HIGH STREET
BLOOMINGTON, IND. 47401
D.R. INST. # 1999016013

8.65 AC
TRACT

UNITED STATES OF AMERICA
37.13 AC

County
We the
edge u
Dated
Subs
My
If
TO BE
14. A
T
15.
16.
18
1

-1-

Lora Heltenberg, unmarried and
of legal age,

to

Cleo E. Swango and Fidella L.
Swango, husband and wife,

Convey and warrant
February 14, 1955
Ack. February 14, 1955 b
fore notary public
Consideration \$1.00/othe
Recorded February 15, 19
Deed Record 116, page 54

A part of the West half of Section 28 and a part of the East half of Section 29, Township 8 North, Range 1 West bounded and described as follows: beginning at a point $9 \frac{1}{5}$ rods West of the Northeast corner of the Northwest quarter of the Southwest quarter of said Section 28, thence running South 622 feet, thence running North 76 degrees West 1830 feet and to the center line of the Dixie Highway, State Road 37; thence running North 42 degrees 30 minutes East on and along the center line of said Dixie Highway 100 feet; thence running North 41 degrees East over and along the center line of said Dixie Highway 100 feet; thence running North 38 degrees East over and along the center line of said Dixie Highway 100 feet; thence running North 42 degrees East over and along the center line of said Dixie Highway 121.5 feet to where said center line of said highway intersects the North line of the Southeast quarter of Section 29, Township 8 North, Range 1 West, thence running East along the North line of the Southeast quarter of Section 29, Township 8 North, Range 1 West, and the North line of the Southwest quarter of Section 28, Township 8 North, Range 1 West a distance of 1528.2 feet to the place of beginning. Containing twenty (20) acres more or less. Subject to all easements of record and to all legal highways and right-of-ways.



John W. Davis
Auditor Monroe County, Indiana

CURRY LAND SURVEYING

Douglas R. Curry
Registered Land Surveyor

N. College Ave.

(812) 332-9037

Bloomington, IN 47404

Job #071295


Owner: Joseph M. & Lisa M. Kleindorfer

Source: Deed Record 399, Page 597

Kleindorfer to Clark

A part of the Northeast quarter of Section 28, Township 8 North, Range 1 West,
Perry Township, Monroe County, Indiana.

Ref. Old Book #2
p. 369



SUBJECT TO all easements and rights-of way.

Evidence of easements have not been located in the field and are not shown on the survey drawing.


This certification does not take into consideration additional facts an accurate and correct title search and/or examination might disclose.

Subject to the above reservations, I hereby certify that the survey work performed on the project shown hereon was performed by me or under my direct supervision and control, and that all information shown is true and correct to the best of my knowledge and belief.

Certified this 19th day of July, 1995.

Douglas R. Curry

Douglas R. Curry (Indiana L.S. #890006)



Beginning 165' East of NW corner
1/2 NW 1/4
Sect 28, T8N
R1W

FAIRFAX ROAD

22.50

25' R/W

21,037.50⁰¹
0.48 Acres

West 82.50


South 255.00'


LARRY Eads
7544 Shadyside Road
Bloomington Ind.
Sept 27, 1978

Description:
A part of the East half of the Northwest quarter of Section 28, Township 8 North, Range 11 West, Monroe County, Indiana described as follows: beginning at a point 165.00 feet East of the Northwest corner of the East half of the said Northwest quarter and in the centerline of Fairfax Road; thence East along said road centerline for 82.50 feet; thence South for 255.00 feet; thence West for 82.50 feet; thence North for 255.00 feet and to the point of beginning. Containing in all 0.48 acres more or less. Subject to a 25.00 foot easement along the centerline of Fairfax Road for County highway right-of-way.

Raymond Graham

Raymond Graham
R P E 3409 Ind.
3215 N. Smith Pike
Bloomington, Ind.
Sept. 27, 1978






N

Scale 1" = 100'

LARRY EADS
7544 Shady Side Road
Bloomington, Ind.
Entire Tract

Raymond Graham
RPE 8409 IND
Sept 27 1978



TRI CO Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor


103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

NW CORNER, E1/2, NW 1/4,
SEC. 28, T-8-N, R-1-W.

M. MITCHELL PROPERTY

E. JONES PROPERTY

SECTION LINE



SCALE: 1" = 50'

K. McCONNELL PROPERTY

I, Edmund O. Farkas hereby certify that I am a Registered Land Surveyor; licensed in compliance with the Laws of the State of Indiana; that this plat and the following description correctly represent a land survey completed under my supervision on March 23, 1981; that all monuments shown thereon actually exist and that their location and type are to the best of my knowledge accurately shown.

Edmund O. Farkas
Registered Land Surveyor
Ind. Reg. No. S0114

TRI CO Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor


103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

Tract Two:

A part of the East Half of the Northwest Quarter of Section Twenty-eight (28), Township Eight (8) North, Range One (1) West, Monroe County, Indiana, and more particularly described as follows:

Beginning at the Northwest corner of said East Half; thence South Eighty-eight (88) Degrees Twenty-six (26) Minutes Thirty-four (34) Seconds East 1042.50 feet along the North line of said East Half; thence South Eighty-eight (88) Degrees Twenty-six (26) Minutes Thirty-four (34) Seconds East 120.00 feet along said North line; thence leaving said North line South Zero (00) Degrees Thirteen (13) Minutes West 264.50 feet; thence North Eighty-eight (88) Degrees Twenty-six (26) Minutes Thirty-four (34) Seconds West 120.00 feet; thence North Zero (00) Degrees Thirteen (13) Minutes East 264.50 feet to the North line of said East Half and to the point of beginning.

Containing 0.73 acres, more or less.



TRI CO Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor


103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

Tract One:

A part of the East Half of the Northwest Quarter of Section Twenty-eight (28), Township Eight North, Range One (1) West, Monroe County, Indiana, and more particularly described as follows:

Beginning at the Northwest Corner of said East Half; thence South Eighty-eight (88) Degrees Twenty-six (26) Minutes Thirty-four (34) Seconds East 922.50 feet along the North line of said East Half to the true point of beginning; thence continuing along said North line South Eighty-eight (88) Degrees Twenty-six (26) Minutes Thirty-four (34) Seconds East 120.00 feet; thence leaving said North line South Zero(00) Degrees Thirteen (13) Minutes West 264.50 feet; thence North Eighty-eight (88) Degrees Twenty-six (26) Minutes Thirty-four (34) Seconds West 120.00 feet; thence North Zero(00) Degrees Thirteen (13) Minutes East 264.50 feet to the North line of said East Half and to the point of beginning.


Containing 0.73 acres, more or less.



FRI CO Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor

103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305



I, Edmund O. Farkas hereby certify that I am a Registered Land Surveyor licensed in compliance with the Laws of the State of Indiana; that this plat and the following description correctly represent a land survey completed under my supervision on May 11, 1981; that all monuments shown thereon actually exist and that their location and type are to the best of my knowledge accurately shown.

EDMUND O. FARKAS
REGISTERED LAND SURVEYOR
IND. REG. NO. 50114

Edmund O. Farkas
Registered Land Surveyor
Ind. Reg. No. 50114

TRI CO Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor

103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

TRACT ONE:

A part of the Northwest Quarter of Section Twenty-eight (28), Township Eight (8) North, Range One (1) West, Monroe County, Indiana, and more particularly described as follows:

Beginning at a point in a county road, said point being 1516.56 feet South and 665.72 feet East of the Northwest corner of said Section; thence along said road the following courses and distances: South Thirty-three (33) Degrees Fifty (50) Minutes Fifty-two (52) Seconds West 179.52 feet; thence South Thirty-two (32) Degrees Sixteen (16) Minutes Fifty-six (56) Seconds West 107.77 feet; thence South Thirty-nine (39) Degrees Zero (00) Minutes Thirty-nine (39) Seconds West 22.71 feet; thence leaving said road South Eighty-four (84) Degrees Twenty (20) Minutes Thirty-two (32) Seconds East 196.00 feet; thence South Seventy-seven (77) Degrees Twenty-nine (29) Minutes Fifty-six (56) Seconds East 25.00 feet; thence North Nineteen (19) Degrees Thirty-five (35) Minutes Four (04) Seconds East 233.70 feet to the South right of way line of a railroad; thence along said right of way North Sixty-three (63) Degrees Thirty-eight (38) Minutes Twenty-three (23) Seconds West 140.56 feet to the point of beginning.

Containing 1.06 acres, more or less.

Subject to and also an easement, see Exhibit A.

TRI CO Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor

103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

TRACT TWO:

A part of the Northwest Quarter of Section Twenty-eight (28), Township Eight (8), Range One (1) West, Monroe County, Indiana, and more particularly described as follows:

Beginning at a point on the South right of way line of a railroad: said point being 1578.97 feet South and 791.66 feet East of the Northwest corner of said Section: thence leaving said right of way line South Nineteen (19) Degrees Thirty-five (35) Minutes Four (04) Seconds West 233.70 feet; thence South Seventy-seven (77) Degrees Twenty-nine (29) Minutes Fifty-six (56) Seconds East 100.00 feet; thence North Twenty (20) Degrees Forty-six (46) Minutes Thirty-four (34) Seconds East 220.19 feet to the South right of way line of a railroad; thence along said South line North Sixty-nine (69) Degrees Forty-four (44) Minutes Twenty (20) Seconds West 103.82 feet to the point of beginning.

Containing 0.53 acres, more or less.

Subject to and also and easement, see Exhibit A.

TRI CO. Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor

103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

TRACT THREE:

A part of the Northwest Quarter of Section Twenty-eight (28), Township Eight (8) North, Range One (1) West, Monroe County, Indiana, and more particularly described as follows:

Beginning at a point on the South right of way line of a railroad; said point being 1614.93 feet South and 889.06 feet East of the Northwest corner of said Section; thence leaving said right of way line South Twenty (20) Degrees Forty-six (46) Minutes Thirty-four (34) Seconds West 220.19 feet; thence South Seventy-seven (77) Degrees Twenty-nine (29) Minutes Fifty-six (56) Seconds East 100.00 feet; thence North Nineteen (19) Degrees Fifty-five (55) Minutes Zero (00) Seconds East 191.52 feet to the South line of a railroad; thence along said South line North Sixty (60) Degrees Forty-five (45) Minutes Thirty-four (34) Seconds West 97.14 feet to the point of beginning.

Containing 0.46 acres, more or less.

Subject to and also an easement, see Exhibit A.

TRI CO Surveying & Mapping

Edmund O. Farkas, Registered Land Surveyor

103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

TRACT FOUR:

A part of the Northwest Quarter of Section Twenty-eight (28), Township Eight (8) North, Range One (1) West, Monroe County, Indiana, and more particularly described as follows:

Beginning at a point on the South right of way line of a railroad; said point being 1662.38 feet South and 973.83 feet East of the Northwest corner of said Section; thence leaving said right of way line South Nineteen (19) Degrees Fifty-five (55) Minutes Zero (00) Seconds West 191.52 feet; thence South Seventy-seven (77) Degrees Twenty-nine (29) Minutes Fifty-six (56) Seconds East 141.59 feet; thence North Thirty-one (31) Degrees Fifty-six (56) Minutes Twenty (20) Seconds East 128.54 feet to the South right of way line of a railroad; thence along said South line North Fifty-four (54) Degrees Twelve (12) Minutes Fifty (50) Seconds West 173.81 feet to the point of beginning.

Containing 0.56 acres, more or less.

Subject to and also and easement, see Exhibit A.

TRI CO Surveying & Mapping


Edmund O. Farkas, Registered Land Surveyor

103 West Temperance
P.O. Box 96
Ellettsville, Indiana 47429
Phone: 812-876-2305

EXHIBIT A

A 30 foot wide easement for purposes of egress and ingress being 15 feet Northerly and 15 feet Southerly from the following described centerline and more particularly described as follows:


Beginning at a point in a county road; said point being 1645.29 feet South and 579.39 feet East of the Northwest corner of Section Twenty-eight (28), Township Eight (8) North, Range One (1) West, Monroe County, Indiana, thence leaving said road North Seventy-five (75) Degrees Fifty-one (51) Minutes Fifty-six (56) Seconds East 213.72 feet; thence South Sixty-nine (69) Degrees Forty-four (44) Minutes Twenty (20) Seconds East 103.51 feet; thence South Sixty (60) Degrees Forty-five (45) Minutes Thirty-four (34) Seconds East 97.37 feet



State of Indiana
County of Monroe SS:

I, Lee Utt, hereby certify that I am a Land Surveyor licensed in compliance with the laws of the State of Indiana; that the above plat and attached description correctly represents a survey completed by me on April 20, 1979; that all monuments shown thereon actually exist; and that their location and type are, to the best of my knowledge, accurately shown.

Lee Utt
Lee Utt, R. L. S. # S0089, Indiana
1604 South Henderson St.
Bloomington, Indiana 47401



LEE UTT
REGISTERED LAND SURVEYOR NO. 50089, INDIANA
OFFICE PHONE 332-6366 HOME PHONE 825-5961
1604 SOUTH HENDERSON
BLOOMINGTON, INDIANA 47401

April 26, 1979


Legal description:

Earl Cooper


A part of the Southeast quarter of Section 28, Township 8 North, Range 1 West, Monroe County, Indiana, bounded and described as follows:


Beginning at a point in the centerline of Fairfax Road and on the North line of said Southeast quarter, said point of beginning being 206.08 feet West of the Northeast corner of said Southeast quarter; thence from said point of beginning and with the north line of said Southeast quarter and running North 88°-27'-31" West for 45.28 feet; thence leaving said north line and running South 05°-51'-51" East for 394.44 feet; thence North 70°-04'-28" East for 186.50 feet and to the centerline of Fairfax Road; thence with the centerline of said road and running North 19°-57'-02" West for 11.00 feet; thence North 27°-31'-45" West for 360.52 feet and to the point of beginning. Containing 1.00 acre, more or less.

Subject to all legal highways and rights of way.


Lee Utt, R. L. S. # S0089, Indiana




Lee Utt, R. L. S. # S0089, Indiana
1604 South Henderson St.
Bloomington, Indiana 47401




LEE UTT
Registered Land Surveyor No. S0089, Indiana
Phone 332-6366
1604 S. Henderson Street
Bloomington, Indiana 47401


June 10, 1987

Legal description

Haley

A part of the Southeast quarter of Section 28, Township 8 North, Range 1 West, Monroe County, Indiana, bounded and described as follows: Beginning at the Southwest corner of the Southeast quarter of Section 28; thence from said point of beginning and with the south line of said Section 28 and running South 88 degrees 08 minutes East for 639.43 feet and to the real point of beginning of this description; thence from said real point of beginning and leaving the south line of said Section 28 and running North 05 degrees 42 minutes 18 seconds West for 646 feet; thence South 88 degrees 08 minutes East for 340 feet; thence South 05 degrees 42 minutes 18 seconds East for 646 feet and to the south line of said Section 28; thence with the south line of said Section and running North 88 degrees 08 minutes West for 340 feet and to the real point of beginning. Containing 5 acres, more or less.




Lee Utt, R.L.S. #S0089, Indiana

Kerry 28

25.60AC
TRACT 3C

NOS 19

25.60AC
TRACT 3B

506°-40'-38"
1623.58

25.60AC
TRACT 3A

$N 23^{\circ} 23' 40'' W$
134.79

$N 09^{\circ} 12' 35'' W$
184.63

$N 09^{\circ} 16' 27''$
165.80

1/4 SECTION LINE

$S 88^{\circ} 08' E$
340'

646'

646'
 $S 05^{\circ} 42' 18'' E$

639.43'

639.43'

639.44'

SECTION LINE

$S 88^{\circ} 08' E$ 1918.30

DILLMAN ROAD

5-1/2 CORNER OF SEC. 18 OF T. 28 N., R. 12 E., CO. 1 S., INDIANA

WEST R/W LINE OF OLD RR SWITCH
310.14'
 $N 16^{\circ} 58' 40'' E$
271'

we claim for the following services to wit

Isaac S. Buskirk	Count Surveyor 11 Days	\$3 per Day paid	\$33-00
Samuel A. Smith	9 Days	\$1-50	\$13-50
" "	3 " Chain Bar	\$1-50	\$4-50
			\$18-00
Absalom Ketcham	7 Days	\$1-50	\$10-50
" "	3 " Chain Bar	\$1-50	\$4-50
			\$18-00

all of which is respectfully submitted

Absalom Ketcham
 Samuel A. Smith
 Isaac S. Buskirk } Commissioners

Feb the 20th 1862

Ran the following line and made the following corners in Section Eighteen Town Ten Range No one East for J. F. Henderson Trustee of Marion Township Monroe County Indiana beginning at a point 58 poles + 15 links N 38 $\frac{1}{2}$ ° E from the Western $\frac{1}{2}$ mile post of said Section 18. T. 10 R. 1. E witness trees Buck 3 inch in diam S 5° W 21 lbs dist thence N 6° W 8 poles stone planted in open ground thence S 85° W 8 poles witness Buck 10 inch in diam S 2° W 19 lbs dist B Sum 6 inch in diam N 50° W 15 lbs dist thence S 6° E 8 poles witness Buck 10 inches in diam N 60° E 2 $\frac{1}{2}$ lbs dist Buck 5 inch in diam S 7° E 11 lbs dist thence N 55° E 8 poles to the place of beginning Chain Barers W. H. Moberly & Harrison Burns & sworn by me this 20th Day of February 1862
 for \$1.00 paid S. S. Buskirk M. C. S.

Feb the 26th 1862

Ran the following line and made the following corners in Section 28. T. 8. R. 1. W. for William Blakely & John Moffit commenced at the Southern $\frac{1}{2}$ mile post Old witness chopped down new one made Sugar 12 inch in diam N 69° W 27 $\frac{1}{2}$ lbs dist thence S 85° W 79 poles + 8 link corner made & stone planted Witness trees Elm 11 inch in diam N 28° E 52 lbs dist Sugar 10 " " " N 38 $\frac{1}{2}$ ° W 11 " " " Chain Barers William Blakely & David Moffit & sworn by me this 26th Day of Feb 1862
 for \$3.50 paid S. S. Buskirk M. C. S.

September 2nd A D 1854

Ran the following described lot of land in Sections No. 28 and 29 township No. 8 north of Range No. one west for Thomas Mathers and Benjamin and bounded as follows to wit beginning at the South east corner of the west half of the north west quarter of section No. 28 T 8 R 1 West running thence N 6° W 61 Poles to a sugar 12 inches in diameter and corner standing on the South bluff of Jackson creek Then N 82° W 43 Poles 17 links to the South east corner of the stone abutments standing on the north side of said Jackson creek, Thence West with said wall S 23° W 2 Poles 2 links to the South west corner of said abutment, Then S 63° W 6 Poles 3 links to a stake witness blue ash 18 inches in diameter S 4° W 8 links distant Thence S 37° W 36 Poles 13 links, Thence N 82° W 1 Pole 14 links to a stake, Thence S 37° W 12 Poles 12½ links to a stake, Thence S 22° W 11 Poles, Then S 73° W 6 Poles 2 links to a stake, Then S 38½° W 5 Poles 2½ links Then S 18° W 11 Poles 2 links, Then S 30° W 22 Poles, Then S 27° E 6 Poles 9½ links, Then N 83° E 129 Poles 12 links to the beginning containing 41 acres 1 quarter & 29 Poles

Also ran at the same time the following described lot of land in said T 8 R 1 West section No. 29 for said Thomas & Benjamin Mathers & bounded as follows to wit beginning at the South west corner of the east half of the north east quarter of section No. 29 T 8 R 1 West Sugar 12 inches in diameter and corner, Then N 6° W 80 Poles to a stake Then S 27½° E 65 Poles 2 links to a stake, Then S 24° E 20 Poles 6½ links, to a stake, witness tree diameter 30 inches in diameter S 29½° E 66½ links distant, Then S 83° W 30 Poles 3½ links to the beginning containing 7 acres 2 quarters and 34 Poles

Lot No 1 contains	41	1	29	Lot No 2 contains	7	2	34
Whol contents					49	0	28

Benjamin Mathers & Thomas Mathers Chain bearers
by consent of parties

James W. Spencer
M. C. Surveyor

T08N-R01W-28_0000_MCS

we claim for the following services to wit

Isaac S. Buskirk	Count Surveyor 11 Days	\$3.00 per Day paid	\$33-00
Samuel A. Smith	9 Days	\$1.50	\$13-50
"	3 "	Chain Bars	\$1-50
			\$18-00
Absalom Ketcham	9 Days	\$1-50	\$13-50
"	3 "	Chain Bars	\$1-50
			\$18-00

all of which is respectfully submitted

Absalom Ketcham }
 Samuel A. Smith } Commissioners
 Isaac S. Buskirk }

Feb the 20th 1862

Ran the following line and made the following corners in Section Eighteen Town Ten Range No One East for J. J. Hendriksen Trustee of Marion Township Monroe County Indiana beginning at a point 58 poles + 15 links N 38 $\frac{1}{2}$ ° E from the Western $\frac{1}{2}$ mile post of said Section 18. T 10 R. 1. E witness trees Buck 3 inch in diam S 5° W 21 lbs dist thence N 6° W 8 poles stone planted in open ground thence S 85° W 8 poles witness Buck 10 inch in diam S 2° W 19 lbs dist B Sum 6 inch in diam N 50° W 15 lbs dist thence S 6° E 8 poles witness Buck 10 inches in diam N 60° E 2 $\frac{1}{2}$ lbs dist Buck 5 inch in diam S 7° E 11 lbs dist thence N 55° E 8 poles to the place of beginning Chain Bars W. H. Moberly & Harrison Burns } sworn by me this 20th Day of February 1862
 fees \$4.00 paid S. S. Buskirk M. C. S.

Feb the 26th 1862


Ran the following line and made the following corners in Section 28. T. 8. R. 1. W. for William Blakely & John Moffit commenced at the Southern $\frac{1}{2}$ mile post Old witness chopped down new one made Sugar 12 inch in diam N 69° W 27 $\frac{1}{2}$ lbs dist thence S 85° W 79 poles + 8 link corner made & stone planted Witness trees Elm 11 inch in diam N 28° E 52 lbs dist Sugar 10 " " " " N 38 $\frac{1}{2}$ ° W 11 " " " " Chain Bars William Blakely & David Moffit } sworn by me this 26th Day of Feb 1862
 fees \$3.50 paid S. S. Buskirk M. C. S.

+ May the 8th 1892

Ran the following lines and established the following corners in Section 28 T. 18. R. 1. W. Commenced at the N. E. Section corner Ran S $3\frac{1}{2}^{\circ}$ E 158. Poles 9 lks To E $\frac{1}{2}$ on p. Then commenced at Stone heretofore planted at center of Section Ran N 87° E 158 Poles 22 lks made new witnesses at E $\frac{1}{2}$ on p. Black walnut 2 N 21° E 32 $\frac{1}{2}$ lks Beech 15 S 61° E 59 $\frac{1}{2}$ lks also made new witnesses at N. E. corner Beech 30 S 20° E 26 lks White walnut 15 S 44° W 50 $\frac{1}{2}$ lks The above Survey was made by the consent of parties interested E L Anderson & John Andrews chainmen sworn Rosencrans fokes flagman sworn

M. H. Baskirk M. C. S.

Sec 20 T. 7. R. 2 E



May the 29th 1892

Surveyed in Section 20 T 7 R 2 East and established corners as per plat and field notes accompanying

A { Half dist. bet. S $\frac{1}{2}$ on p. & center
Ash 7 S 69° W. 149 lks
Sugar 12 S $41\frac{1}{2}^{\circ}$ W 150 "

B { Half dist. bet. N $\frac{1}{2}$ on p. & center
maple 12 N 69° E 17 lks
Red Oak 30 N 52° W 6 "

C { Half dist. bet. E $\frac{1}{2}$ on p. & center
Hickory 6 N 22° W 62 $\frac{1}{2}$ lks
Red Oak 6 N 32° E 29 "

D { Center of S. E. qtr
Beech 40 S 68° W 34 lks
Ches. Oak 5 N 23° E 26 "

The above Survey was made in compliance with accompanying notice which was published in the "Saturday Courier" a weekly newspaper published in Bloomington Ind 2 week before the commencement of said Survey

Tilman Robertson, Michael Grider, & Nelson Johnson chainmen sworn
Kathen Hill & J W Brubbe flagman sworn

M. H. Baskirk M. C. S.

Notice of Survey
Notice is hereby given to all persons, residents, and all others interested, that I will proceed, together with the county surveyor of Monroe county, Indiana, or his deputy, on
MONDAY, MAY 29, 1892,
to run and establish all the lines and corners necessary to be established in section 20, town 7, range 2 east. Meet at residence of John Taylor at 1 o'clock p. m. on said day, or the survey will take place in your absence.
John Taylor

September 2nd A D 1854

Ran the following described lot of land in Sections No. 28 and 29 township No. 8 north of Range No. one west for Thomas Mathers and Benjamin and bounded as follows to wit Beginning at the South east corner of the west half of the north west quarter of Section No. 28 T 8 R 1 West running thence N 6° W 61 Poles to a sugar 12 inches in diameter and corner standing on the South bluff of Jackson creek Then N 82° W 43 Poles 17 links to the South east corner of the stone abutments standing on the north side of said Jackson creek, Thence west with said wall S 23° W 2 Poles 2 links to the South west corner of said abutment, Then S 63° W 6 Poles 3 links to a stake witness blue ash 18 inches in diameter S 4° W 8 links distant Thence S 37° W 36 Poles 15 links, Thence N 82° W 1 Pole 14 links to a stake, Thence S 37½° W 12 Poles 12½ links to a stake, Thence S 22° W 11 Poles, Then S 73° W 6 Poles 2 links to a stake, Then S 38½° W 5 Poles 2½ links Then S 18° W 11 Poles 2 links, Then S 30° W 22 Poles, Then S 27° E 6 Poles 9½ links, Then N 83° E 129 Poles 12 links to the beginning containing 41 acres 1 quarter & 29 Poles

Also ran at the same time the following described lot of land in said T 8 R 1 West Section No. 28 for said Thomas & Benjamin Mathers & bounded as follows to wit Beginning at the South west corner of the east half of the north east quarter of Section No. 29 T 8 R 1 West Sugar 12 inches in diameter and corner, Then N 6° W 80 Poles to a stake Then S 27½° E 63 Poles 2 links to a stake, Then S 24° E 20 Poles 6½ links, to a stake, witness tree Speakmore 30 inches in diameter S 29½° E 66½ links distant, Then S 85° W 30 Poles 3½ links to the beginning containing 7 acres 2 quarters and 34 Poles

Lot No 1 contains	41	1	29	Lot No 2 contains	7	2	84
Whol contents					49	0	28

Benjamin Mathers & Thomas Mathers Chain bearers
by consent of parties

James W. Spencer
M. C. Surveyor